



ENVICOM
CORPORATION

*Environmental Analysis &
Compliance*

Entitlement & Valuation

Urban Planning & Design

*Resource Management &
Permitting*

Illustrative Graphics

July 13, 2001

Kevin Lindquist
Trammell Crow Company
2049 Century Park East, Suite 2650
Los Angeles, CA 90067

Re: 2000 Avenue of the Stars Tree Survey

Dear Kevin:

Per your request, Envicom Corporation has completed a preliminary tree survey to identify all trees with a trunk diameter of at least 12 inches that are located within the proposed 2000 Avenue of the Stars development envelope. Trunk diameters were measured at 4.5 feet above ground (Diameter at Breast Height, or DBH). Only trees with diameters greater than 12 inches were required of the survey. Consequently, not all trees within the development envelope were recorded. In all we took measurements for 60 trees. Of these, 22 were subsequently identified as too small, while 38 met our criteria. The area to be disturbed during the construction phase of the project was compared to the locations of these 38 trees to determine which would be impacted. Twenty-nine of the 38 trees (which met the criteria) would be effected by the proposed project. The type and location of the effected trees are delineated our summary exhibits (**Table 1** and **Figure 1**).

Figure 1 shows the location of all trees sampled on the site. Our field numbering system grouped trees by location and species. **Table 1** is a list of all trees effected, including the scientific name of the species, common name, trunk diameter (at DBH) and the number given to the tree corresponding to **Figure 1**.

Sincerely,

Travis Cullen
Client/Program Coordinator

28328 Agoura Road
Agoura Hills, California 91301

Tel. (818) 879-4700

Fax. (818) 879-4711

cc. Mr. Michael Nytzen

www.envicomcorporation.com