


FIGURE 2
LFG RECOVERY PROJECTION
BRADLEY LANDFILL (With 19 Foot Vertical Expansion)



**TABLE 2
LFG RECOVERY PROJECTION
BRADLEY LANDFILL -- EAST AND WEST (With 19 Foot Vertical Expansion)**

Year	Disposal Rate (tons/yr)	Refuse In-Place (tons)	Likely			Likely High			Likely Low			Actual LFG Recovery Rate (mmcf/day)	Actual LFG Recovery Rate (scfm)	Implied System Coverage (%)
			LFG Recovery Potential (scfm)	LFG Recovery Potential (mmcf/day)	NMOC Emissions* (tons/yr)	LFG Recovery Potential (scfm)	LFG Recovery Potential (mmcf/day)	NMOC Emissions* (tons/yr)	LFG Recovery Potential (scfm)	LFG Recovery Potential (mmcf/day)	NMOC Emissions* (tons/yr)			
1958	228,171	228,171	0	0.00	0	0.00	0	0.00	0	0.00	0	0	0.00	0%
1959	228,171	456,342	81	0.12	5.8	0.14	94	0.10	6.8	0.10	4.8	0	0.00	0%
1960	228,172	684,514	159	0.23	11.4	0.27	185	0.19	13.3	0.19	9.5	0	0.00	0%
1961	228,171	912,685	235	0.34	16.9	0.39	274	0.28	19.7	0.28	14.0	0	0.00	0%
1962	228,172	1,140,857	308	0.44	22.1	0.52	359	0.37	25.8	0.37	18.4	0	0.00	0%
1963	228,171	1,369,028	379	0.55	27.2	0.64	442	0.45	31.8	0.45	22.7	0	0.00	0%
1964	228,171	1,597,199	448	0.64	32.2	0.74	522	0.54	37.5	0.54	26.8	0	0.00	0%
1965	228,172	1,825,371	514	0.74	37.0	0.86	600	0.62	43.1	0.62	30.8	0	0.00	0%
1966	358,309	2,183,680	579	0.83	41.6	0.97	675	0.69	48.5	0.69	34.7	0	0.00	0%
1967	358,309	2,541,989	687	0.99	49.4	1.15	802	0.82	57.6	0.82	41.2	0	0.00	0%
1968	358,309	2,900,298	793	1.14	56.9	1.33	925	0.95	66.4	0.95	47.5	0	0.00	0%
1969	358,309	3,258,607	894	1.29	64.3	1.50	1,043	1.07	75.0	1.07	53.6	0	0.00	0%
1970	358,309	3,616,916	993	1.43	71.3	1.67	1,158	1.19	83.2	1.19	59.5	0	0.00	0%
1971	358,309	3,975,225	1,088	1.57	78.2	1.83	1,270	1.31	91.2	1.31	65.2	0	0.00	0%
1972	358,309	4,333,534	1,181	1.70	84.9	1.98	1,378	1.42	99.0	1.42	70.7	0	0.00	0%
1973	358,309	4,691,843	1,271	1.83	91.3	2.13	1,482	1.52	106.5	1.52	76.1	0	0.00	0%
1974	358,309	5,050,152	1,357	1.95	97.5	2.28	1,584	1.63	113.8	1.63	81.3	0	0.00	0%
1975	358,309	5,408,461	1,441	2.08	103.6	2.42	1,682	1.73	120.8	1.73	86.3	0	0.00	0%
1976	358,309	5,766,770	1,523	2.19	109.4	2.56	1,776	1.83	127.6	1.83	91.2	0	0.00	0%
1977	358,309	6,125,079	1,602	2.31	115.1	2.69	1,868	1.92	134.2	1.92	95.9	0	0.00	0%
1978	358,309	6,483,388	1,678	2.42	120.5	2.82	1,957	2.01	140.6	2.01	100.5	0	0.00	0%
1979	358,309	6,841,697	1,752	2.52	125.9	2.94	2,044	2.10	146.8	2.10	104.9	0	0.00	0%
1980	358,309	7,200,006	1,823	2.63	131.0	3.06	2,127	2.19	152.8	2.19	109.2	0	0.00	0%
1981	447,450	7,647,456	1,893	2.73	136.0	3.18	2,208	2.27	158.7	2.27	113.3	0	0.00	0%
1982	405,563	8,053,019	1,991	2.87	143.1	3.35	2,323	2.39	166.9	2.39	119.2	0	0.00	0%
1983	546,805	8,599,824	2,072	2.98	148.9	3.48	2,418	2.49	173.7	2.49	124.1	0	0.00	0%
1984	618,434	9,218,258	2,202	3.17	158.1	3.70	2,567	2.64	184.4	2.64	131.7	0	0.00	0%
1985	482,589	9,700,847	2,350	3.38	168.8	3.95	2,742	2.82	197.0	2.82	140.7	0	0.00	0%
1986	383,241	10,084,088	2,447	3.52	175.8	4.11	2,854	2.94	205.1	2.94	146.5	0	0.00	0%
1987	441,581	10,525,669	2,505	3.61	180.0	4.21	2,923	3.01	210.0	3.01	150.0	0	0.00	0%
1988	692,052	11,217,721	2,582	3.72	185.6	4.34	3,013	3.10	216.5	3.10	154.6	0	0.00	0%
1989	771,433	11,989,154	2,746	3.95	197.3	4.61	3,204	3.30	230.2	3.30	164.4	0	0.00	0%
1990	564,911	12,554,065	2,932	4.22	210.7	4.93	3,421	3.52	245.8	3.52	175.6	0	0.00	0%
1991	793,907	13,347,972	3,040	4.38	218.4	5.11	3,547	3.65	254.8	3.65	182.0	0	0.00	0%
1992	1,523,907	14,871,879	3,225	4.64	231.7	5.42	3,763	3.87	270.3	3.87	193.1	0	0.00	0%
1993	1,489,747	16,361,626	3,663	5.27	263.2	6.15	4,273	4.40	307.0	4.40	219.3	0	0.00	0%
1994	1,878,310	18,239,936	4,074	5.87	292.7	6.84	4,753	4.89	341.5	4.89	243.9	0	0.00	0%
1995	1,268,038	19,507,974	4,611	6.64	331.3	7.75	5,379	5.33	386.5	5.33	276.1	1,752	2.52	43%
1996	1,424,298	20,932,272	4,914	7.08	353.1	8.26	5,733	5.90	411.9	5.90	294.2	2,862	4.12	58%
1997	1,732,284	22,664,556	5,263	7.58	378.1	8.84	6,140	6.32	441.2	6.32	315.1	3,611	5.20	69%
1998	1,729,998	24,394,554	5,710	8.22	410.3	9.59	6,662	6.85	478.7	6.85	341.9	4,106	5.91	72%
1999	2,662,578	27,057,132	6,142	8.85	441.3	10.32	7,166	7.37	514.9	7.37	367.8	4,684	6.74	76%
2000	2,341,000	29,398,132	6,891	9.92	495.1	11.58	8,040	8.27	577.6	8.27	412.6	5,627	8.10	82%
2001	2,032,750	31,430,882	7,502	10.80	539.0	12.60	8,753	9.00	628.9	9.00	449.2	7,408	10.67	99%
2002	702,000	32,132,882	7,985	11.50	573.7	13.42	9,316	9.58	669.3	9.58	478.1	7,414	10.68	93%
2003	461,000	32,593,882	7,982	11.49	573.5	13.41	9,312	9.58	669.1	9.58	477.9	6,689	9.63	84%

**TABLE 2
LFG RECOVERY PROJECTION
BRADLEY LANDFILL -- EAST AND WEST (With 19 Foot Vertical Expansion)**

Year	Disposal Rate (tons/yr)	Refuse In-Place (tons)	Likely		Likely High		Likely Low		Actual LFG Recovery Rate (mmcf/day)	Implied System Coverage (%)
			LFG Recovery Potential (scfm)	NMOC Emissions* (tons/yr)	LFG Recovery Potential (scfm)	NMOC Emissions* (tons/yr)	LFG Recovery Potential (scfm)	NMOC Emissions* (tons/yr)		
2004	213,000	32,806,882	7,894	11.37	9,209	13.26	6,578	9.47	6,461	9.30
2005	755,000	33,561,882	7,720	11.12	9,007	12.91	6,434	9.26		
2006	1,155,250	34,717,132	7,744	11.15	9,035	13.01	6,454	9.29		
2007	0	34,717,132	7,909	11.39	9,227	13.29	6,630	9.49		
2008	0	34,717,132	7,660	11.03	8,937	12.87	6,383	9.19		
2009	0	34,717,132	7,419	10.68	8,655	12.46	6,182	8.90		
2010	0	34,717,132	7,185	10.35	8,383	12.07	5,988	8.62		
2011	0	34,717,132	6,959	10.02	8,119	11.69	5,799	8.35		
2012	0	34,717,132	6,740	9.71	7,863	11.32	5,617	8.09		
2013	0	34,717,132	6,528	9.40	7,616	10.97	5,440	7.83		
2014	0	34,717,132	6,322	9.10	7,376	10.62	5,268	7.59		
2015	0	34,717,132	6,123	8.82	7,143	10.29	5,102	7.35		
2016	0	34,717,132	5,930	8.54	6,918	9.96	4,942	7.12		
2017	0	34,717,132	5,743	8.27	6,701	9.65	4,786	6.89		
2018	0	34,717,132	5,562	8.01	6,490	9.34	4,635	6.67		
2019	0	34,717,132	5,387	7.76	6,285	9.05	4,489	6.46		
2020	0	34,717,132	5,218	7.51	6,087	8.77	4,348	6.26		
2021	0	34,717,132	5,053	7.28	5,895	8.49	4,211	6.06		
2022	0	34,717,132	4,894	7.05	5,710	8.22	4,078	5.87		
2023	0	34,717,132	4,740	6.83	5,530	7.96	3,950	5.69		
2024	0	34,717,132	4,591	6.61	5,356	7.71	3,826	5.51		
2025	0	34,717,132	4,446	6.40	5,187	7.47	3,705	5.34		
2026	0	34,717,132	4,306	6.20	5,024	7.23	3,588	5.17		
2027	0	34,717,132	4,171	6.01	4,866	7.01	3,475	5.00		
2028	0	34,717,132	4,039	5.82	4,712	6.79	3,366	4.85		
2029	0	34,717,132	3,912	5.63	4,564	6.57	3,260	4.69		
2030	0	34,717,132	3,789	5.46	4,420	6.37	3,157	4.55		
2031	0	34,717,132	3,669	5.28	4,281	6.16	3,058	4.40		
2032	0	34,717,132	3,554	5.12	4,146	5.97	2,962	4.26		
2033	0	34,717,132	3,442	4.96	4,016	5.78	2,868	4.13		
2034	0	34,717,132	3,334	4.80	3,889	5.60	2,778	4.00		
2035	0	34,717,132	3,229	4.65	3,767	5.42	2,690	3.87		
2036	0	34,717,132	3,127	4.50	3,648	5.25	2,606	3.75		
2037	0	34,717,132	3,028	4.36	3,533	5.09	2,524	3.63		
2038	0	34,717,132	2,933	4.22	3,422	4.93	2,444	3.52		
2039	0	34,717,132	2,841	4.09	3,314	4.77	2,367	3.41		
2040	0	34,717,132	2,751	3.96	3,210	4.62	2,293	3.30		
2041	0	34,717,132	2,665	3.84	3,109	4.48	2,220	3.20		
2042	0	34,717,132	2,581	3.72	3,011	4.34	2,151	3.10		
2043	0	34,717,132	2,499	3.60	2,916	4.20	2,083	3.00		
2044	0	34,717,132	2,421	3.49	2,824	4.07	2,017	2.90		
2045	0	34,717,132	2,344	3.38	2,735	3.94	1,954	2.81		
2046	0	34,717,132	2,271	3.27	2,649	3.81	1,892	2.72		
2047	0	34,717,132	2,199	3.17	2,566	3.69	1,833	2.64		
2048	0	34,717,132	2,130	3.07	2,485	3.58	1,775	2.56		

**TABLE 2
LFG RECOVERY PROJECTION
BRADLEY LANDFILL -- EAST AND WEST (With 19 Foot Vertical Expansion)**

Year	Disposal Rate (tons/yr)	Refuse In-Place (tons)	Likely		Likely High		Likely Low		Actual LFG Recovery Rate (scfm)	Actual LFG Recovery Rate (mmcf/day)	Implied System Coverage (%)
			LFG Recovery Potential (scfm)	LFG Recovery Potential (mmcf/day)	LFG Recovery Potential (scfm)	LFG Recovery Potential (mmcf/day)	LFG Recovery Potential (scfm)	LFG Recovery Potential (mmcf/day)			
2049	0	34,717,132	2,063	2.97	2,407	3.47	1,719	2.48			123.5
2050	0	34,717,132	1,998	2.88	2,331	3.36	1,665	2.40			119.6
2051	0	34,717,132	1,935	2.79	2,257	3.25	1,612	2.32			115.8
2052	0	34,717,132	1,874	2.70	2,186	3.15	1,562	2.25			112.2
2053	0	34,717,132	1,815	2.63	2,117	3.05	1,512	2.18			108.7
2054	0	34,717,132	1,758	2.53	2,051	2.95	1,465	2.11			105.2
2055	0	34,717,132	1,702	2.45	1,986	2.86	1,419	2.04			101.9
2056	0	34,717,132	1,649	2.37	1,924	2.77	1,374	1.98			98.7
2057	0	34,717,132	1,597	2.30	1,863	2.68	1,331	1.92			95.6
2058	0	34,717,132	1,547	2.23	1,804	2.60	1,289	1.86			92.6
2059	0	34,717,132	1,498	2.16	1,748	2.52	1,248	1.80			89.7
2060	0	34,717,132	1,451	2.09	1,692	2.44	1,209	1.74			86.9
2061	0	34,717,132	1,405	2.02	1,639	2.36	1,171	1.69			84.1
2062	0	34,717,132	1,361	1.96	1,588	2.29	1,134	1.63			81.5
2063	0	34,717,132	1,318	1.90	1,538	2.21	1,105	1.58			78.9
2064	0	34,717,132	1,276	1.84	1,489	2.14	1,070	1.53			76.4
2065	0	34,717,132	1,236	1.78	1,442	2.08	1,036	1.48			74.0
2066	0	34,717,132	1,197	1.72	1,397	2.01	1,004	1.44			71.7
2067	0	34,717,132	1,160	1.67	1,353	1.95	966	1.39			69.4
2068	0	34,717,132	1,123	1.62	1,310	1.89	936	1.35			67.2
2069	0	34,717,132	1,088	1.57	1,269	1.83	906	1.31			65.1
2070	0	34,717,132	1,053	1.52	1,229	1.77	883	1.26			63.1
2071	0	34,717,132	1,020	1.47	1,190	1.71	850	1.22			61.1
2072	0	34,717,132	988	1.42	1,153	1.66	823	1.19			59.2
2073	0	34,717,132	957	1.38	1,116	1.61	802	1.15			57.3
2074	0	34,717,132	927	1.33	1,081	1.56	772	1.11			55.5
2075	0	34,717,132	898	1.29	1,047	1.51	748	1.08			53.7
2076	0	34,717,132	869	1.25	1,014	1.46	729	1.04			52.1
2077	0	34,717,132	842	1.21	982	1.41	706	1.01			50.4
2078	0	34,717,132	815	1.17	951	1.37	684	0.98			48.8
2079	0	34,717,132	790	1.14	921	1.33	662	0.95			47.3
2080	0	34,717,132	765	1.10	892	1.29	641	0.92			45.8
2081	0	34,717,132	741	1.07	864	1.24	621	0.89			44.4
2082	0	34,717,132	718	1.03	837	1.21	601	0.86			43.0
2083	0	34,717,132	695	1.00	811	1.17	583	0.83			41.6
2084	0	34,717,132	673	0.97	785	1.13	564	0.81			40.3
2085	0	34,717,132	652	0.94	760	1.10	546	0.78			39.0
2086	0	34,717,132	631	0.91	737	1.06	529	0.76			37.8
2087	0	34,717,132	611	0.88	713	1.03	513	0.73			36.6
2088	0	34,717,132	592	0.85	691	0.99	496	0.71			35.5
2089	0	34,717,132	574	0.83	669	0.96	481	0.69			34.3
2090	0	34,717,132	555	0.80	648	0.93	463	0.67			33.3

NOTE: NMOC emissions are shown as hexane and are calculated using the following inputs: molecular wt. of hexane = 86.16; collection efficiency = 85%; NMOC concentration per source test conducted on April 20-21, 2004 = 1,056 ppmv (as hexane)